

SAFETY OVERSHOES
SPECIALIST

ANTI SLIP & SAFETY

A range of anti-slip certified overshoes*

* Until 340% beyond the SRC standard

PRODUCT HIGHLIGHTS

- Walking comfort
- + Resistant to external agressions : temperature, oil, hydrocarbon
- **+ Hygiene :** the user keeps his own shoes
- + Long lifetime, wear resistant
- + Easy maintenance



Easy Grip



▶ Outstanding grip coefficient (SRC)



Fits perfectly to the foot thanks to its stretch structure



- Use: catering, food industry, pharmaceutical industry, other risky areas and slippery floors
- 4 sizes are enough to cover all shoe sizes Color code to identify sizes*





CE Certified - PPE RISK II - EN ISO 20347: 2011

- ► Slip resistance SRC (EN ISO I3287)
- ▶ Fuel Oil and abrasion resistance

American standards (ASTM)

Total Protect





- ▶ Ultra-light toe cap made of aluminium/titanium alloy
- ► Outstanding grip coefficient (SRC)
- Fits perfectly to the foot thanks to its stretch structure
- 4 sizes are enough to cover all shoe sizes*
- **Use:** catering, food industry, handling, industrial surfaces, pharmaceutical industry, other risky areas and slippery floors.




Total Protect Plus







▶ Anti-puncture mixed system composed of steel and textile that allows an extension of the sole





- Outstanding grip coefficient (SRC)
- Fits perfectly to the foot thanks to its stretch structure
- 4 sizes are enough to cover all shoe sizes*
- Use: catering, food industry, handling, industrial surfaces, pharmaceutical industry, other risky areas and slippery floors.
- * 4 sizes are enough to cover all shoe sizes :

| | | S | | | | M | | | | L | | | | XL | |
|----------|----|----|----|----|-----|----|-----|-----|-----|-----|----|------|------|------|-----|
| EU Sizes | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48+ |
| UK Sizes | I | 2 | 3 | 4 | 5 | 6 | 6.5 | 7 | 8 | 9 | 10 | 10.5 | Ш | 12 | 13+ |
| US Woman | 4 | 5 | 6 | 7 | 7.5 | 8 | 8.5 | 9.5 | 10 | Ш | | | | | |
| US Man | | | | | 5.5 | 6 | 7 | 8 | 8.5 | 9.5 | 10 | II | II.5 | 12.5 | 13+ |



CE Certified - PPE RISK II EN ISO 20345 : 2011

- ▶ Slip resistance SRC (EN ISO I3287)
- ► Fuel Oil and abrasion resistance
- Crushing resistance (EN ISO 12568) for Total Protect and Total Protect Plus
- Puncture resistance of the sole



American standards (ASTM)

OCCASIONAL SAFETY

A range of certified Safety Overshoes

PRODUCT HIGHLIGHTS

- Walking comfort
- **+ Hygiene :** the user keeps his own shoes
- + Long lifetime, wear resistant
- + Easy maintenance



Visitor



Ultra-light toe cap made of aluminium/titanium alloy




- Can be adapted to all kind of footwear thanks to its velcro-comfort strap
- Its sole benefits from Tiger Grip® non slip technology
- ▶ 3 sizes are enough to cover all shoe sizes :

| | | | | | М | | | | | | | | XL | | |
|----------|----|----|----|----|-----|----|-----|-----|-----|-----|----|------|------|------|-----|
| EU Sizes | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48+ |
| UK Sizes | I | 2 | 3 | 4 | 5 | 6 | 6.5 | 7 | 8 | 9 | 10 | 10.5 | Ш | 12 | 13+ |
| US Woman | 4 | 5 | 6 | 7 | 7.5 | 8 | 8.5 | 9.5 | 10 | Ш | | | | | |
| US Man | | | | | 5.5 | 6 | 7 | 8 | 8.5 | 9.5 | 10 | II | II.5 | 12.5 | 13+ |



CE Certified - PPE RISK II - EN ISO 20345 : 2011

- ► Crushing resistance (EN ISO I2568)
- \blacktriangleright Fuel Oil and abrasion resistance
- ▶ Slip resistance SRC (EN ISO I3287) for Premium and Intégral



Visitor Premium





Outstanding grip coefficient (SRC)

- Ultra-light toe cap made of aluminium/titanium alloy
- Secure hold of the foot thanks to the **multidirectional strap**
- ► **Ultra light** product
- 4 sizes are enough to cover all shoe sizes*



Visitor Intégral







- Antipuncture sole achieved with steel
- Robustness of the sole for an **outdoor use**
- ► Outstanding grip coefficient (SRC)
- Ultra-light toe cap made of aluminium/titanium alloy
- Secure hold of the foot thanks to the **multidirectional strap**
- 4 sizes are enough to cover all shoe sizes*





4 sizes are enough to cover all shoe sizes :

| | | 5 | | | | | Ч | | | ш | | XL | | |
|----------|----|----|----|----|-----|----|-----|-----|-----|-----|----|------|------|------|
| EU Sizes | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 |
| UK Sizes | I | 2 | 3 | 4 | 5 | 6 | 6.5 | 7 | 8 | 9 | 10 | 10.5 | Ш | 12 |
| US Woman | 4 | 5 | 6 | 7 | 7.5 | 8 | 8.5 | 9.5 | 10 | Ш | | | | |
| US Man | | | | | 5.5 | 6 | 7 | 8 | 8.5 | 9.5 | 10 | - | II.5 | 12.5 |

USE: outdoor yard environments, industry, handling, construction and public works, other risky areas and slippery floors.

4

OUTDOOR SAFETY

Certified safety equipment, to move on snowy or icy floors

PRODUCT HIGHLIGHTS

- Walking comfort
- + Easy to use: quick to put on and remove thanks to its preformed structure at the front of the foot
- + Long lifetime, wear resistant



City Grip





▶ Ultra-resistant spikes



- Can be adapted to all kind of footwear
- ► Delivered with its **own** individual package
- **Use**: Any snowy or icy surfaces
- 3 sizes are enough to cover all shoe sizes :

| | | 5 | S | | M | | | | | | | └─ _─ XL | | | | |
|----------|----|----|----|----|-----|----|-----|-----|-----|-----|----|--------------------|------|------|-----|--|
| EU Sizes | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48+ | |
| UK Sizes | I | 2 | 3 | 4 | 5 | 6 | 6.5 | 7 | 8 | 9 | 10 | 10.5 | Ш | 12 | 13+ | |
| US Woman | 4 | 5 | 6 | 7 | 7.5 | 8 | 8.5 | 9.5 | 10 | II | | | | | | |
| US Man | | | | | 5.5 | 6 | 7 | 8 | 8.5 | 9.5 | 10 | II | 11.5 | 12.5 | 13+ | |



CE Certified, PPE Risk II: Protocol of FIOH TY-043 Slip resistance on ice

Resistance to low temperatures



Certified versatile overshoe, to move on ice or other difficult surfaces (snowy, muddy...)

PRODUCT HIGHLIGHTS

- Walking comfort
- + Easy to use: quick to put on and remove thanks to its preformed structure at the front of the foot
- + Long lifetime, wear resistant



Master Grip





► Range of interchangeable spikes available for ice, snow, mud...









- Can be adapted to all kind of footwear
- Delivered with its own individual package


ALL PRODUCTS ARE DELIVERED IN STANDARD WITH THE ICE GRIP STEEL SPIKES.

- Use: Any snowy or icy surfaces, difficult fields: mud, bank...
- 3 sizes are enough to cover all shoe sizes :

| | | 9 | 5 | | <u></u> м | | | | | | └─ _─ XL | | | | | | |
|----------|----|----|----|-----|-----------|-----|-----|----|-----|-----|--------------------|------|------|------|-----|--|--|
| EU Sizes | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48+ | | |
| UK Sizes | I | 2 | 3 | 4 | 5 | 6 | 6.5 | 7 | 8 | 9 | 10 | 10.5 | Ш | 12 | I3+ | | |
| US Woman | 5 | 6 | 7 | 7.5 | 8 | 8.5 | 9.5 | 10 | Ш | | | | | | | | |
| US Man | | | | | 5.5 | 6 | 7 | 8 | 8.5 | 9.5 | 10 | II | II.5 | 12.5 | I3+ | | |



CE Certified, PPE Risk II: Protocol of FIOH TY-043 Slip resistance on ice



American standards (ASTM)

All our products are dedicated to answer your specific needs and are divided into 3 ranges:

- ► ANTI-SLIP & SAFETY
- **▶** OCCASIONAL SAFETY
- **▶** OUTDOOR SAFETY

After several years of R&D, the commercialization of our first product starts in **2012**.

We are now **EUROPEAN LEADER** with a network of distributors and partners in more than **40 countries**.

If the quality and robustness of our products remain our priority, our ambition is to continue our development by investing in product innovation.



TIGER GRIP overshoes are a true **CONCENTRATE OF TECHNOLOGY** at the service of the users safety.



I20, rue Fornier - 31700 Beauzelle - FRANCE Tél. +33 (0)5 34 60 56 56 - Fax +33 (0)5 61 41 75 93 contact@tigergrip.com

www.tigergrip.com