



LEMAITRE SECURITE SAS 17 rue Bitschhoffen CS 90024

F 67350 La Walck FRANCE Tél.: +33 (0)3 88 72 28 80 Fax: +33 (0)3 88 07 05 37 www.lemaitre-securite.com contact@lemaitre-securite.com









CORINNE S2 SRC

UPDATMENT of the document: 29/06/2015 ISO reference of the document: DON/LS 03.996.D

BALLERINA-STYLE LINED LEATHER SHOE WITH STRAP

PROTECTION FOR THIS MODEL



Sizes available from 35 (2) to 42 (8) Weight of one pair in size 37: 700 gr.

Norme EN ISO 20345: 2011 AET: 0161/19543/12

Upper features

- Upper: Water repellent full grain leather
- Lining: leather Vamp lining: synthetic Counter: synderme
- Fastenning: strap with metallic buckle
- Marking: size, manufacturer, manufacture date (month, date), norm, protection, CE marking.

Protections

Toecap: steel (200 joules)


Fitting features

Natur'form (large) Lasting: California Lasting insole: textile Footbed: foam and textile

Sole features

- Name: PARABOLINE
- Material: double density polyurethane
- Comfort sole density: 0,5 Color comfort sole : darkgrey Undermine sole density: 1 Color undermine sole : black
- Slipping resistance SRA (flat): 0,45; (heel): 0,42 Slipping resistance SRB (flat): 0,22; (heel): 0,18

Basics and additional requirements of the norm EN ISO 20345: 2011


















CI Cold insulation of sole complex. E Energy absorption of seat region.

FO Resistance of the outsole to fuel oil.

HI Heat insulation of sole complex.

HRO Resistance of the outsole to hot contact.

M Metatarsal protection.

P Penetration resistance

WRU Water penetration and water absorption resistant upper.

WR Water resistant footwear.



Regarding the norm EN ISO 20345, the minimum results for slip resistance to get the SRC certificate are : SRA (flat) = 0.32SRA (heel) = 0,28 SRB (flat) = 0.18SRB (heel) = 0.13

Advantages = end users benefits

Trendy safety shoe for women

- **→** Sole: fitting adapted to the morphology of women's foot
- Leather lining: for a better resistance to abrasion than textile, more comfort, softness and esthetic.
- Polyurethane with good properties: good antistatic properties and good resistance to hydrolysis and heat. **PARABOLINE** sole
- Excellent slip resistance due to the profile of the sole which adapts to the nature of the ground.
 - A sole designed for women
 - Heel shock absorber
 - Insulating against cold.
 - Double density polyurethane (injected)
- PARABOLIC® sole :
 - **Exceptional grip:** the concave structure of the sole allows progressive bending of the sole in order to optimize grip.
 - Comfort when walking: the spring effect gives a more dynamic walk and facilitates walking.
 - Anti-fatigue: with every step, the recycled energy gives you a spring in your step and provides anti-fatigue effect to your legs.